



INVITATION FOR SEALED BID

TAC 189E ADDENDUM #1 January 10, 2002

Description: POLICE UNIFORMS & ASSOCIATED EQUIPMENT

Department: POLICE

NIGP Commodity Code(s): 680-00-00-000-0

Total pages including this page is 54

NOTE: FAXING OF BID WILL NOT BE ACCEPTED

Important Instruction – Read Carefully:

If you have obtained these bid specifications from either of:
City of Tulsa's Fax-on-Demand (918-596-1171) or
City of Tulsa's Website : www.cityoftulsapurchasing.org

you must notify the buyer Laura Blades of your intent to bid by e-mail lblades@ci.tulsa.ok.us in order to receive addenda. The buyer will always acknowledge your e-mail for your records. All addenda will be posted on fax-on-demand and the website.

TABLE OF CONTENTS

Pay special attention to those pages with a reference to the following notes:

Note #1: Signature of authorized agent required

Note #2: Signature of an authorized agent and notarized required

Table of Contents		2
ADDENUM #1.January 10, 2002.....		3
Invitation for Sealed Bid	(Note #1)	4
General Terms and Conditions		5
Interest Affidavit	(Note #2)	6
Bidder Affidavit	(Note #2)	7
Contractor Information Sheet		8
Summary Price Sheet		9-11
Specifications		12-15
Technical Specifications		16-54

Your bid response should follow the same format listed above plus any additional format requested in the body of the bid invitation.

January 10, 2002

**TAC #189E
POLICE UNIFORMS & ASSOCIATED EQUIPMENT
POLICE DEPT.**

ADDENDUM NO. 1

This Addendum No. 1, consisting of the following information, shall be made a part of the bid specifications for subject bid.

1. **Price Sheet Summary page, Item 1C revised.**
2. **Price Sheet Summary page, Item 30 revised.**
3. **Price Sheet Summary page, Items 31, 32, 33 added.**
4. **Page 13, Item 8 revised.**
5. **Cruiser Jacket, TPD-0001 A, Emblem , name tag and patch added.**
6. **Lightweight Jacket, TPD-0001B, Emblem, name tag, patch added and metal buttons added..**
7. **Windbreaker Jacket, TPD-0001C, Description revised.**
8. **Windbreaker Jacket, TPD-0001C, Metal Buttons, name tag and patch added**
9. **Duty Holsters, TPD-0022, A, B, C, D, remove or approved replacement.**
10. **Handcuff Case, TPD-0023, part number change.**
11. **Magazine Pouch, TPD-0024 remove or approved replacement.**
12. **Expandable Baton and Leather Scabbard, TPD-0025A, B remove or Monadnock.**
13. **Winter Cap, TPD-0-026, The flaps shall be black mouton fur not forest green.**
14. **Single Ring Holder, TPD-0030, model number added.**
15. **Specification descriptions for 31, 32, 33.**

All other provisions remain the same.

Please include this addendum with your bid submittal.

**INVITATION FOR SEALED BIDS
TO
City of Tulsa**

200 CIVIC CENTER, ROOM 109, TULSA, OKLAHOMA 74103

Bid number and date of bid opening must appear on the lower
left outside corner of bid envelopes and all related containers.

DATE OF OPENING: January 24, 2002

BID NUMBER: TAC 189E

BID MUST BE IN THE CITY CLERK'S OFFICE AT THE ABOVE ADDRESS BY 5:00 P.M. THE DAY PRECEDING THE "DATE OF OPENING" SHOWN ABOVE.

BIDS WILL BE OPENED AT 8:30 A.M. IN THE CITY COUNCIL ROOM ON THE DAY SPECIFIED UNDER "DATE OF OPENING."

PUBLISHED IN THE TULSA DAILY COMMERCE AND LEGAL NEWS: December 26, 27, 28, 31, 2001, January 2, 2002

Bid must be accompanied by bidder's bond, cashier's check or certified check in the amount of: NONE

PLEASE READ TERMS AND CONDITIONS ON THE NEXT PAGE BEFORE COMPLETING BID DOCUMENTS

PRE-BID CONFERENCE (SEE PAGE 12)

THE FOLLOWING SECTION MUST BE COMPLETED BY BIDDER

Delivery will be made in not more than _____ days after receipt of order.

Payment terms _____ % _____ days.

City of Tulsa may increase quantity of order at the unit price bid for _____ days. (Bidder to Specify Days) I have examined the terms and specifications and the instructions to bidders herein and agree, provided I am awarded a contract, to provide the above described items for the sum shown in accordance with the terms and specifications stated herein. All deviations are in writing and attached hereto.

Enclosed is a BID BOND ; CASHIER'S CHECK; Certified Check in the amount of \$ _____, which I agree the City of Tulsa may retain as liquidated damages in the event of my failure to comply with the terms of this bid.

MUST BE SIGNED BY AUTHORIZED AGENT TO BE VALID

FIRM NAME _____ by _____

STREET _____ TITLE _____

CITY STATE _____ ZIP CODE _____ PHONE NUMBER _____ DATE _____

GENERAL TERMS AND CONDITIONS OF BIDS

THESE ITEMS APPLY TO AND BECOME A PART OF THE BID.

NO EXCEPTIONS TO THESE TERMS & CONDITIONS WILL BE CONSIDERED.

1. **BIDS MUST BE SUBMITTED ON THIS FORM ONLY INCLUDING A SIGNATURE OF AN AUTHORIZED AGENT.** Each bid shall be placed in a separate envelope. Be sure envelope is completely and properly identified and sealed, showing the bid number and date in the lower left hand corner. Bids must be time stamped in the office of the City Clerk by 5:00 P.M. on the day before date of opening.
2. No bidder may withdraw his proposal for a period of thirty (30) days after the date and hour set for the opening of bids.
3. All prices shall be quoted F.O.B. Tulsa, Oklahoma, and delivery to City of Tulsa location shall be without additional charge.
4. The bidder shall attach the manufacturer's name of the equipment or material to be furnished, type, model numbers, manufacturer's descriptive bulletins and specifications. All guarantees and warranties should be clearly stated. This data shall be in sufficient detail to describe accurately the equipment or material to be furnished. Manufacturer's specifications, in respect to the successful bidder, shall be considered as part of his contract with the City of Tulsa.
5. The bidder shall show in the proposal both the unit prices and total amount, where required, of each item listed. In the event of error or discrepancy in the mathematics, the unit prices shall prevail.
6. Any exceptions or deviations from written specifications shall be shown in writing and attached to the bid form.
7. Each bidder agrees to comply with the terms of Title 5, Chapter 1, of Tulsa, Oklahoma Charter and revised ordinances relating to equal employment opportunity.
8. **THE ENCLOSED FORMS REGARDING NON-COLLUSION AND FINANCIAL INTEREST MUST BE SIGNED, NOTARIZED, AND RETURNED WITH THE BID.**
9. The City of Tulsa reserves the right to reject any and all bids, to waive any technicalities in the bidding, and to award each item to different bidders or all items to a single bidder.
10. All bids must be accompanied by bidders bond, cash, certified or cashier's check in the amount shown on the face of the bid form. This amount shall be retained by the City of Tulsa as liquidated damages in the event the successful bidder (or bidders) fails to execute a contract, if required. The bidder agrees that said amount is presumed to be the damages sustained by the City due to the impracticability and extreme difficulty in fixing the actual damages. The office of the City Clerk will return the bid deposits to the unsuccessful bidders, after a contract has been awarded or all bids have been rejected.
11. In the event cash discounts are offered by the bidder, the discount date shall begin with the date of invoice, the date of receipt of all material covered by the purchase order, or the date of receipt by the City of Tulsa of the original copy of the purchase order with properly executed Affidavit of Claimant, whichever is the later date.
12. Direct purchase of certain items of equipment or material by the City of Tulsa are exempt from Federal Excise Tax and Oklahoma Sales Tax. In such cases the bidder shall quote prices which do not include Federal Excise Tax and Oklahoma Sales Tax. The City of Tulsa will furnish executed exemption certificates upon presentation by the bidder at the time of purchase.
13. Bid must show number of days required for delivery under normal conditions. Failure to state delivery time obligates bidder to complete delivery in fourteen (14) calendar days. Unrealistically short or long delivery promises may cause bid to be disregarded. Contractor must keep Purchasing Department advised at all times of status of order. Default in promised delivery or failure to meet specifications authorizes the Purchasing Agent to purchase supplies elsewhere and charge full increase of cost and handling to defaulting contractor. Consistent failure to meet delivery promises without valid reason may cause removal from bid list.
14. Bidder agrees to defend and save City of Tulsa from and against all demands, claims, suits, costs, expenses, damages and judgments based upon infringement of any patent relating to goods specified in this order or the ordinary use or operation of such goods by City or use or operation of such goods in accordance with bidders direction.
15. If the bid requires a written contract, the successful bidder shall execute a written contract with the City of Tulsa and return the required bonds and insurance certificates within ten (10) days after submission of contracts to said bidder by the City.

BIDDER AFFIDAVIT - TITLE 74 O.S. (1974 SUPP.) 85.22-85.25

STATE OF _____ COUNTY OF _____

_____, of lawful age, being first duly sworn on oath says

Authorized Agent

1. (s)he is the duly authorized agent of _____, the bidder submitting the competitive bid which is attached to this statement, for the purpose of certifying the facts pertaining to the existence of collusion among bidders and between bidders and municipal officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the bid to which this statement is attached.
2. (s)he is fully aware of the facts and circumstances surrounding the making of the bid to which this statement is attached and has been personally and directly involved in the proceedings leading to the submission of such bid; and
3. neither the bidder nor anyone subject to the bidder's direction or control has been a party;
 - a. to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding,
 - b. to any collusion with any municipal official or employee as to quantity, quality or price in the prospective contract, or as to any other terms of such prospective contract, nor
 - c. in any discussions between bidders and any municipal official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

SIGNATURE OF AUTHORIZED AGENT

Subscribed and sworn to before me this _____ day of _____, 19_____.

Signature of Notary Public

MY COMMISSION EXPIRES

The Bidder Affidavit must be completed, signed by an authorized agent, and notarized.

CONTRACTOR/BIDDER INFORMATION SHEET

To be completed by all Bidders
For Contracts with the City of Tulsa
(Please print or type)

Project No. or Description _____

Full Name of Bidder _____

Legal Identity
(Corporation, Partnership,
Individual, etc.) _____

Address _____

Telephone No. _____

FAX No. _____

Taxpayer Identification Number _____

Contact Person _____

Phone No. _____

Fax No. _____

E-mail address _____

Webpage Address _____

Price Sheet Summary

Vendor Name: _____ Signature: _____

Date: _____

You will be able to obtain a copy of the Bid Summary on the City of Tulsa's Purchase-Net Fax-on-Demand and Website shortly after bid opening.

TAC 189E

ITEM	DESCRIPTION	COST
1.	TPD-0001. Jackets	
1a.	TPD-0001 A, Cruiser Jacket	
	MFG: Blauer GTX Model: #9010Z, or equal.	
	MFG: Model:	
1b.	TPD-001B, Lightweight Jacket	
	MFG: Blauer Model: #9626, or equal.	
	MFG: Model:	
1c.	TPD-001C, Wind Breaker/with Liner	
	MFG: Horace Small Model: #3803ZS, or equal.	
	MFG: Model:	
2.	TPD-0002, Police Trousers (Winter)	
.	MFG: Raeford Worsted Co. Model: 645-437, <u>or equal,</u>	
	MFG: Model:	
3.	TPD-0003, Winter Shirts	
	MFG: Raeford Worsted Co. Model: 571-93389, <u>or equal,</u>	
	MFG., Model:	
4.	TPD-0004, Summer Shirts	
	MFG: Raeford Worsted Co Model: 571-93389, <u>or equal.</u>	
	MFG: Model:	
5.	TPD-0005, Cap Cover	
	MFG: Bayly Model: #9830A1/9809	
6.	TPD-0006, Cap Frame	
	MFG: Bayly Model: #9830A1/9809	
7.	TPD-0007, Pant Belt	
	MFG: Safariland Model: #99	
8.	TPD-0008, Necktie	
	MFG: Samuel Browne Model: #455 or equal	
	MFG: Model:	

ITEM	DESCRIPTION	COST
9.	TPD-0009, Rain Clothing	
9a.	TPD-0009A, Raincoat	
	MFG: Blauer Model: #26990	
9b.	TPD-0009B, Reversible Rain Jacket	
	MFG: Blauer Model: #26991	
9c.	TPD-0009C, Rain Jacket	
	MFG: Blauer Model: #9691	
9d.	TPD-0009D, Rain Pants	
	MFG: Blauer Model: #9134	
10.	TPD-0010, Cap Rain Covers	
	MFG: Model:	
11.	TPD-0011, Coverall	
	MFG: Model:	
12.	TPD-0012, Ball Cap	
	MFG: Stevens Cap Co. Model: #262, <u>or equal</u>	
	MFG: Model:	
13.	TPD-0013, Collar Insignias	
	MFG: Model:	
14.	TPD-0014, Metal Name Plate	
	MFG: Model:	
15.	TPD-0015, Riding Breeches	
	MFG: Raeford Worsted Co. Model #530-437, <u>or equal</u>	
	MFG: Model:	
16.	TPD-0016, Riding Boots	
	MFG: Dehner Model: <u>or equal</u>	
	MFG: Model:	
17.	TPD-0017, Flag Patch (American)	
	MFG: Model:	
18.	TPD-0018, Whistle and Chain	
	MFG: Acme Model: Thunderer	
	MFG: Model:	
19.	TPD-0019, Ticket Book Holder	
	MFG: Model:	
20.	TPD-0020, Police Helmet with Face Shield	
	MFG: Premier Crown Corp. Model: C3-700	
21.	TPD-0021, Duty Gun Belt	
	MFG: Safariland Ltd., Inc. Model; #94	

ITEM	DESCRIPTION	COST
22.	TPD-0022, Holsters	
22a.	TPD-0022 A, Standard Shank. Left Hand, Holster	
	MFG: Safariland Ltd., Inc. Model #0708392, Left	
22b.	TPD-0022 B, Standard Shank, Right Hand, Holster	
	MFG: Safariland Ltd., Inc. Model: #0708391, Right	
22c.	TPD-0022 C, Drop Shank. Left Hand. Holster	
	MFG: Safariland Ltd., Inc. Model: #07058392, Left	
22d.	TPD-0022 D, Drop Shank, Right Hand, Holster	
	MFG: Safariland Ltd., Inc. Model: #07058391, Right	
23.	TPD-0023, Handcuff Case	
	MFG: Safariland Ltd., Inc. Model: #190HS, High Gloss	
24.	TPD-0024. Magazine Pouch	
	MFG: Safariland Ltd., Inc. Model #7783-9HS, High Gloss	
25.	TPD-0025. Expandable Baton and Scabbard	
25a.	TPD-0025A, Expandable Baton	
	MFG: ASP or Monadnock Model:	
25b.	TPD-0025B. Leather Scabbard	
	MFG: Safariland Ltd., Inc. Model: 35-F21-9 or 35-F26-9	
26.	TPD-0026, Winter Cap	
	MFG: Model:	
27.	TPD-0027, Chevrons	
	MFG: Model:	
28.	TPD-0028, Flashlights and Holsters	
	Description Following	
28a.	TPD-0028A, Belt Holster Flashlight	
	MFG: Stinger Model:	
28b.	TPD-0028B, 3-Cell Flashlight	
	MFG: Streamlight Model: SL20X or SL20XP	
28c.	TPD-0028C, Flashlight Holster	
	MFG: Safariland Ltd., Inc. Model. 306-1-9 or 306-11-9	
29.	TPD-0029, Belt Keepers	
	MFG: Model:	
30.	TPD-0030, Single Ring Holder	
	MFG: Model: 730-9BL	
31.	TPD Cloth Name strip for jackets	
32.	TPD Star target patch for jackets breast	
33.	TPD Shoulder patch	

TAC #189E
POLICE UNIFORMS & ASSOCIATED EQUIPMENT
POLICE DEPARTMENT

INTENT:

To secure sealed bids for the supply of the **Tulsa Police Department Uniforms and Associated Equipment** for the City of Tulsa on an annual basis.

GENERAL SPECIFICATIONS:

1. The successful bidder will be required to enter into a contract with the City within ten days after submission of such, and post a performance bond in the amount of **\$2,000.00**.
2. The successful bidder shall provide a full-time, local, top quality fitting and alteration department-retail establishment, and shall employ a sufficient number of skilled personnel to provide completed work within a reasonable length of time.
3. All clothing and footwear items shall be furnished in male and female sizes, unless specified otherwise.
4. All merchandise ordered by the City from the successful bidder will be delivered within ninety calendar days from date of order, unless specified otherwise in these conditions.
5. Uniform and equipment items ordered by the City for newly-hired personnel will carry the following delivery terms:
 - A. Clothing and Equipment (not requiring alteration): Thirty calendar days from date of order.
 - B. Clothing requiring alteration: 120 calendar days from date of measurement,

AND

Altered garments to be delivered five calendar days from date of sizing.

6. The successful bidder shall notify the Police Department when the ordered items are available for pick-up from the vendor. (The contact individual, address and telephone number will be designated at the time of contract signing.)

The successful bidder shall notify the Police Department, with a copy to City Purchasing as well, of any delays in the required delivery.

7. The determination of the amount of damages resulting from any late delivery of merchandise specified herein being difficult to ascertain, the City shall have the right to discount the purchase price at a rate of 1% per calendar day, for every day that delivery is delayed beyond the time specified in these conditions. The successful bidder agrees, by the submission of a bid, that such deductions

made from the purchase price, for late delivery of merchandise, shall in the nature of liquidated damages, and will not constitute a penalty.

8. The City of Tulsa reserves the right to reject any items which do not comply with these specifications, and to require any alterations it deems necessary. No additional charge shall be made for any alterations it deems necessary. No additional charge shall be made for any such alterations. **All uniforms shall be delivered clean and freshly pressed.** The successful bidder will be required to furnish for inspection a complete sample of all items in the bid, prior to the award of any contract.
9. The fabric supplied will guarantee color, non-pilling or frosting, a minimum normal wear of three years. In the uniform items where the material has been specified, the material shall be stamped (Kaumographed) in such a manner as to identify the mill and/or the material, the workmanship and the fit. The mechanics of pressing to finalize the pre-set process shall be completed before delivery to the City.
10. Each garment will have a label on which is specified the care and maintenance instructions. Warranty information will also be provided by the vendor or manufacturer.
11. The City of Tulsa will consider any alterations, varying somewhat from the original specifications, that a bidder wishes to submit. Each of these alternates must be specifically described as such, and all variances from specifications must be approved by the Chief of Police prior to inclusion in the official specifications. Failure to comply with this provision will result in rejection of the bid for the alternate item(s).
12. The term of the contract is one (1) year with the option to renew annually for two (2) years if both parties agree.

PRICING:

The prices bid will be offered to the City of Tulsa Police Department and to any sworn Police Officer attempting to obtain replacement uniform items. In the event that sworn Police Officer requests replacement uniform items over the counter, the awarded vendor will be required to honor the contract prices.

PRE-BID CONFERENCE:

A pre-bid conference will be held at Tulsa Police Academy, 6066 E. 66th Street North, Tulsa, Oklahoma on Thursday, January 10, 2002 at 10:00 a.m. The bid terms, conditions and scope will be reviewed, discussed and opened for questions.

AWARD OF BID:

The bid shall be awarded to the firm whose proposal is responsive to the bid and is most advantageous to the City, considering the factors identified in the bid and Section 406E of Title 6, The Purchasing Ordinance set forth below:

406E. AWARD OF CONTRACT

1. Authority in the Mayor. The Mayor shall have the authority to award contracts within the purview of this chapter.
2. Lowest Secure Bidder. Contracts shall be awarded to the lowest secure bidder meeting specifications. Bid Specifications may include a point system for evaluating the lowest secure bid. In determining "lowest secure bidder", in addition to price, the following factors shall be considered:
 - a. The ability, capacity and skill of the bidder to perform the contract or provide the service required;
 - b. whether the bidder can perform the contract or provide the service promptly or within the time specified, without delay or interference;
 - c. the character, integrity, reputation, judgment, experience and efficiency of the bidder;
 - d. the quality of performance of previous contracts or services;
 - e. the previous and existing compliance by the bidder with laws and ordinances relating to the contract or service;
 - f. the sufficiency of the financial resources and ability of the bidder to perform the contract or provide the service;
 - g. the quality, availability and adaptability of the supplies or contractual services to the particular use required;
 - h. the ability of the bidder to provide future maintenance and service for the use of the subject of the contract;
 - i. where an earlier delivery date would be of great benefit to the requisitioning agency, the date and terms of delivery may be considered in the bid award, and
 - j. the number and scope of conditions attached to the bid.
 - k. if a point system has been utilized in the bid specifications, the number of points earned by the bidder.

Terms and conditions shown on page 4 apply to this transaction.

PRICE ADJUSTMENT OPTION

The price paid for a commodity under this contract shall not change during the term of this contract. However, if the bidder anticipates that it will not be able to maintain firm prices for any renewal period, a change in price may be allowed in a renewal of this contract if the following criteria are met:

- (1) The bidder includes a formula, to be used to calculate a change in price at the time of renewal, **in the bid for the initial contract**. Such formula shall be reasonable, objective and capable of measurement.
- (2) The contractor notifies the City, in writing, no later than 30 days prior to the expiration of the initial contract period, or any renewal period, of its intent to exercise the right to escalate or de-escalate prices under the contract. The notice shall include a calculation of the price increase or decrease requested including the formula used.

The City reserves the right to reject any and all bids and to award to the best interests of the City, including the possibility of multiple awards.

SPECIFICATION NO. TPD-0001 A CRUISER JACKET

**COMPLIANCE
STATEMENT:**

A certificate of compliance shall be submitted by the contractor to the contracting officer, stating the following requirements have been met:

STYLE/COLOR:

Gore-Tex Style #9010Z, Cruiser Jacket, forest green, or approved equal.

FABRIC:

A. BASIC SHELL

Cloth type: 330 Denier Cordura Nylon (warp), and 2-ply taslanized nylon (filling) plain weave, treated with durable fluorocarbon water and stain release agents.

Weight (uncoated): 5.5 oz. per sq yd [+or -.4 oz.]
Break Strength (lbs.): Warp -190 [min.] Fill -110 [min.]
Tear Strength (lbs.): Warp - 13 [min.] Fill -12 [min.]
Warp: 64 [min.] 38 [min.]
Count: Warp - 64 Fill - 38
Shrinkage: Warp - 2% [max.] Fill - 2% [max.]
Color Fastness
and Crocking: Good

B. QUILT LINING

Cloth type: Nylon, plain weave, type 66
Denier: Warp - 200, Fill - 200
Warp ends per inch: 62 (+ or -2)
Filling ends per inch: 50 (+ or -2)
Weight: 3.0 oz. per square yard (+ or -1/4 oz.)
Breaking strength: Warp - 200 [min.] Federal Test Method: 5100
Warp and Filling: Filling - 150
Tearing Strength (lbs): Warp - 7.5 (+ or -.5) Federal Test Method: 5134

C. INSULATION

Type: 3M thinsulate C-200 quilted in a 6-inch railroad pattern (Body)
Type: 3M thinsulate C-1 00 quilted in a 6-inch railroad pattern (Sleeves)

**D. BREATHABLE
LINING**

Gore-Tex Z-Liner

E. INTERLINING

Cloth type: 100% cotton osnaburg
Color: Charcoal
Weight: 3.45 yards per pound
Count: Warp - 30 Fill - 24
Break strength: Warp - 60 lbs Fill - 35 lbs
Maximum shrinkage: Warp and Fill - 3 - 4%

F. BINDING

See requirements for the permanent body lining fabric.

G. ELASTIC

WAISTBAND

Type: 1-3/4 inch elastic webbing
Color: Black
Warp: 40/2-ply spun poly with 37 gauge extruded rubber covered with four ends of 12/1 -ply spun polyester.
Filling: 150/2-ply textured polyester
Standard stretch: 90% [+ or - 10%]
Dry cleanable: Yes

SPECIFICATION NO. TPD-0001 A (Continued)

DESIGN:

- A. GENERAL** The jacket shall be waist length, single-breasted, waterproofed with Gore-Tex by Design with zipper storm front closure. There shall also be removable epaulets, badge holder on left breast, bi-swing back, sleeve zippers, reverse pleated patch pocket with side opening for hands, collar, knit wind collar, sleeve tabs, zippered side vents, and two piece set-in sleeves. There shall be a quilted Thinsulate liner stitched to nylon face fabric (see permanent liner fabric) and wristlets.
- B. BI-SWING BACK** For comfort of motion, there shall be a bi-swing back. The bi-swing shall be approximately 12 inches in length and 1-1/2 inch in depth. It shall be constructed with an elasticized anchor so that the bi-swing will be snapped back into proper position after being extended. The elastic shall be a 1-inch elastic braid.
- C. ELASTIC WAISTBAND** Separate waistband shall be elasticized in the back. There shall be two rows of stitching each 1/2" apart, centered on the waistband, and extending through the elastic. The elastic shall be securely tacked at each end. There will be a zipper sewn into each side for weapon access. Snap tags shall be sewn into the waistband for closure of the side tab.
- D. QUILT LINER** Liner is a full body liner with full sleeves of same fabric content with wristlets attached and knit bi-swing. The knit bi-swing shall sew into the back armhole and sleeves for ease of motion and comfort. Quilting shall be stitched in a 6 inch railroad patten.
- E. SLEEVES** Two-piece, coat style, set-in, with removable epaulets, the sleeve under seams shall have an eight-inch hidden zipper sewn in. The zipper allows access to the shell arms for sewing emblems without damaging the waterproof Z-Liner.
- F. INTERLINING** The following parts shall be interlined: collar, epaulets, pocket flaps, fronts, waistband, and storm flaps.
- G. EPAULETS** The removable epaulets shall be 2-1/2 inches in width at the sleeve joining seam and shall taper to 2 inches in width at the narrow end. The point of the epaulet shall finish at the collar joining seam of the coat, fastened with buttonhole and 24 ligne uniform button.
- H. COLLAR** The permanent collar and collar stand shall be made of two plies of the basic fabric plus the interlining. The interlining shall be sewn to the under collar using an eight point star stitch. The collar points shall be well-shaped and symmetrical. The zipper and storm flap shall extend all the way up to the top of the collar. There will be a snap on both sides of the collar for closure and 3 snaps on the under collar for attachment of a hood.

- I. SLEEVE TABS** The sleeve tabs shall be sewn into the underarm sleeve 2 inches from the sleeve hem. The tabs shall measure 2-1/2 inches wide tapering to 2 inches. There shall be 2 buttons with buttonholes.
- J. STORM FLAPS** There shall be top and under storm flaps. The storm flaps shall be interlined. They shall measure 2 inches wide by 27 inches long.
- K. SEAMS (Shell)** Top sleeve, sleeve setting seams and shoulder joining seams shall be 3/16" gauge, double needle chain stitch, lap seam felled construction. All other seams to be single or double needle lockstitch construction. Lining seams shall be five thread safety stitch construction. Back tacks on seams shall be a minimum of 1/2 inch long. All seams shall be at 8 stitches per inch minimum, to 12 stitches per inch maximum. Seams shall be free from puckering, pleats, runoffs, and raw edges.
- L. SEAM WATERPROOFING** For Gore-Tex Z-Liner. Seams shall be taped. Seam tape shall be Gore-Tex Z-Liner type, compatible with the coating compound and assume all the characteristics of the coating compound after application. The tape shall be applied by hot air methods. The tape shall not be affected by weather, temperature, or storage. The taped seams shall be tested for waterproofing in accordance with Federal Test Std. #191, Method #5514. There shall be no appearance of water in the test area when the hydrostatic head is raised to 50 centimeters for a period of 3 minutes. The edges of the Z-Liner shall be caught along the periphery of the collar, fronts waistband and sleeve bottoms only. There shall be no stitching through the Z-Liner except those seams that are waterproofed. There will be eyelets on the sleeve bottoms, above the front and back waistbands for water drainage.
- M. WRISTLETS & KNIT** 100% polyester, 1 x 1 rib knit, measuring 8 x 2 inches (wristlets), color black.
- N. BUTTONHOLES** Eyelet end, taper bar cut after or cut first with #8 gimp. If cur first type, thread ends shall be bartacked.
- O. POCKETS** The pleated patch pockets shall measure approximately 7 inches wide by 8 inches high. There shall be a mitered flap, measuring approximately 7 inches wide, 2-3/4 inches at the center. The pocket shall have a reverse pleat and the top shall be bound. There shall be a 1 by 2 inch piece of hook and loop in the center of each flap and pocket for closure. The patch pocket shall be doublelined with fleece pocketing. The outside edge of the pocket and pocket flap shall be securely bartacked. The sides shall open to accommodate the hands. ends of stitching shall be securely bartacked. The inside left pocket shall measure 8 inches wide by 12 inches deep. It shall open via a pocket zipper.
- P. STITCHING AND THREAD** All stitching shall be even and uniform as per the standard sample. Thread shall be size #50 rayon wrapped polyester core, vat dyed.
- Q. SAFETY STITCHING** A five-thread safety stitch machine shall be used on all body and sleeve joining seams on the quilted permanent liner and the underarm/side seam.

R. SLIDE FASTENERS The front zipper shall use a two-way, delrin, black, 22 inches long, size #10. Sleeve zippers shall use a black nylon one-way zipper, 8 inches long, size #3. Inside pocket zipper shall use a black nylon one-way zipper, 6 inches long.

S. SNAPS Non-rusting, 24 ligne, nickel on brass, heavy-duty closure, black chemical cap.

T. METAL BUTTONS Epaulet, sleeve tab and pocket flap buttons shall be metal buttons as specified by the using agency.

SIZES: The size range shall be Men's sizes: 34-46 short; 34-56 regular; 36-56 long; 36-56 extra long.

Size Men's: 34 36 38 40 42 " 46 48 50 52 54 56
Chest (inches): 44 46 48 50 52 54 56 58 60 62 64 66

(Measured at armhole and size seam, + or - 3/4 inch)
Back Length, size 42: Reg. - 25 Short - 24 Long - 26 X-Long - 27 Increased
1/4 inch for each size (ex. size 44 Reg. - 26-3/4 inches

(Measured from collar stand to bottom of hem, + or - 1/2 inch)
Sleeve Length, size 42: Reg. - 17 Short - 16 Long - 18x Long - 19

STANDARD SAMPLE: Sample must be provided at the time of the bid opening. In all details not specifically described herein, tailoring, styling, and construction of the components shall conform to the standard sample.

LIMITED WARRANTY: Limited Warranty will contact, at minimum, the following:
(Waterproof Garments)

Warranty Coverage: Manufacturer shall agree to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

Warranty -Service: Should a covered product become defective or lose waterproofness during the warranty period, the manufacturer shall agree to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

EMBLEM: Regulation Tulsa Police Department emblem furnished by manufacturer, to be stitched on left sleeve with top edge of emblem 1" from top of sleeve centered with shoulder strap. American flag furnished by manufacturer to be stitched on right sleeve with top edge of flag 1" from top of sleeve centered with shoulder strap. Emblem to be neatly secured to prevent edges of emblem from raveling.

Cloth name tag will be sewn on a line centered not more than 1/8" above the right breast pocket of outer garment.

The round breast patch with TPD star – the cloth badge shall be sewn on the left breast of the jacket.

END: TPD-0001 A

**SPECIFICATION NO.
TPD-0001 B
Lightweight Jacket**

DESCRIPTION: GTX 9626 Classic Jacket. Gore-Tex liner membrane. Thermolite zip-out liner. 10" side zippers with snap tabs. Double storm flap snap front. Large inside zippered pocket. Shirt style cuff with hook and loop adjustment. Patch pockets with top entry for hand warming. Underarm gusset for added freedom of movement. Sewn on badge tab. Two piece sleeves. Forest green in color. Or approved replacement.

EMBLEM: Regulation Tulsa Police Police Department emblem furnished by manufacturer, to be stitched on left sleeve with top edge of emblem 1" from top of sleeve centered with shoulder strap. American flag furnished by manufacturer to be stitched on right sleeve with top edge of flag 1" from top of sleeve centered with shoulder strap. Emblem to be neatly secured to prevent edges of emblem from raveling.

Cloth name tag and round breast patch with TPD star.

METAL BUTTONS: Epaulet, sleeve tab and pocket flap buttons shall be gold metal buttons as specified by the using agency.

**SPECIFICATION NO.
TPD-0001 C
Windbreaker Jacket**

DESCRIPTION:

Horace Small, Generation 2 windbreaker with liner. Articulated gusset design. Buttons that accept the pile collar option and side zips with snaps. Nylon spun lining, inside oversized patch pocket, and double entry lined pockets on front. Forest Green in color. Or approved replacement.

Model 3803 ZS

METAL BUTTONS:

Epaulet, sleeve tab and pocket flap buttons shall be gold metal buttons as specified by the using agency.

Cloth name tag and round breast patch with TPD star.

**SPECIFICATION NO.
TPD-0002
POLICE TROUSERS (WINTER)**

MATERIAL: Taupe, 16-1/2 - 17 oz., 55% Dacron Polyester, 45% Wool, *Raeford Worsted Co., Style 645-437 or equal.*

STYLE: Two-inch waistband, one-fourth top pockets, 2 hip pockets, 5-1/2" wide, tack to tack 6" deep with button and tab. Hip and side pockets to be lined with polyester cotton material to a depth of 1-3/4" reinforcement at corners of pockets. Seven (7) Keystone belt loops. Snug Tex waistband to prevent shirt from slipping. Trousers to have French fly, waistband closing with Hook-Flex. Trousers to have cross piece sewn with 1 button across inside front. heavy duty talon zipper fly. Plain bottoms. There is to be minimum outlet of 2" at the waist seam, this outlet to be furnished in a closed manner with capability of easy waist adjustment.

STRIPE: One-inch wide stripe of 14 - 15 oz., 2-ply, 55% Dacron Polyester, 45% Wool, *Raeford Worsted Co., 8203-289 or equal,* to run from bottom of waist band to full length of trousers, set into side seam. A tog stitched stripe will not be acceptable on the heavier weight trousers.

WORKMANSHIP: All sewing to be with best grade cotton mercerized thread. All machine stitching to be done with lock stitch double lock stitch, or both, not less than 12 stitches per inch. TROUSERS TO BE CLEAN, WELL MADE AND PRESSED IN A WORKMAN-LIKE MANNER, AND SHOW NO RAW EDGES ON OUTSIDE OF GARMENT, AND NO DEFECTIVE STITCHING ON ANY PART OF THE TROUSERS. Seat seam sewn with Rice Z-69 nylon 4 oz. thread. This type chain stitch to be used to ensure seams that will not separate.

SIZES: Trousers shall be offered in male and female sizes.

END: TPD-0002

SPECIFICATION NO. TPD-0003 WINTER SHIRTS

- MATERIAL:** Forest green, 8 - 11 oz., 55% Dacron Polyester, 45% Wool, 2-ply sewn throughout with best quality mercerized thread, Raeford Worsted Co., Style 571-93389, or equal.
- STYLE:** U.S. Army Officer, Semi-Form fitting with Pointed yoke set on edge, with depth of 4-1/2" at center, shoulder yoke to be 180 count stain lined. Seven (7) buttons on front. Body to be cut and made to each individual's measurements and strictly tailored to these measurements. Chest to be cut a minimum of 5" over actual chest measurement, and shirt waist cut a minimum of 3" over actual measurement. Stock sized will be allowed with alterations to fit to customer's satisfaction.
- POCKETS:** Two (2) breast patch pockets, approximately 5-5/8" in width and 6-1/2" in depth. Top of pockets to be placed approximately 8" downward from shoulder seam, at shoulder seam, at shoulder strap, this 8" measurement to vary in accordance to the smaller shirt sizes. Button pocket flaps to have 3 points. POCKET FLAPS TO BE DIE CUT. CREASED. THEN TOP STITCHED 1/8" FROM EDGE. Pockets to have mitered corners at bottom. Pencil opening in left pocket. The manufacturer to take special notice of this pencil pocket as there will be a pocket within the pocket, opening at the top of pocket flap for easy access. Shirt pockets to have 1 bone button in line with center of pocket. Pockets to be edge stitched. Velcro closures at corners of pocket flaps.
- COLLAR:** Regular collar with stiffening. Permanent collar stays set on crinton so as not to show stitching on top or bottom of leaf. Collar point at front 2-3/4" with collar approximately 1-3/4" high at back with 3/4" opening at front. Collar top stitched with 1 row of 1/4" stitching. Collar stand stitched with not less than four rows of single needle stitching solid and lined with rayon lining.
- SLEEVES:** The cuff shall measure 2-7/8" high and shall be graduated in size according to shirt size. There shall be two buttons and two button-holes on each cuff. Packet to be self cloth 1-1/2" wide and 5-1/2" long, edge stitched (graduated according to shirt size) with one button and buttonhole; button to be cut in same direction to match the cuff buttons. Placket and cuff opening to be centered on the back of the shirt sleeve. Each sleeve shall be reinforced with a self cloth elbow patch which is to be located over the elbow at the point of strain and sewn into the sleeve seam. Shirt sleeve is to be tapered and neatly pleated into the cuff with at least two pleats. Sleeving and side closing seams 1/4" double stitched.

SHOULDER STRAPS: On each shoulder a strap of taupe material, 8 - 8-1/2 oz., 55% Dacron Polyester, 45% Wool, 2 ply, or taupe 100% Polyester material, 2 ply, (strap material to be compatible with shirt material) of the shirt set into the sleeve head seam, and reaching to the edge of the collar buttoning at the upper end. Straps to be amount 2" in width at the lower end, and 1-1/2" at the upper end. **SHOULDER STRAPS TO BE DIE CUT, CREASED, THEN TOP STITCHED 1/8" FROM EDGE.** To be cross stitched down to the shoulder for a distance of 2" from lower end. Straps to be about 4 1/2" long.

BUTTON: All buttons to be bone and sewn on with cotton mercerized thread. Front buttonholes to be sewn vertical and button holes on pocket flaps to be sewn vertical to base or shoulder strap.

BADGE TAB: To be self cloth inside long loose sling. To be caught by shoulder seams, and flap setting seam; 2 small buttonholes 1-1/4" apart with bottom buttonhole 3/4" above top of left flap.

EMBLEM: Regulation Tulsa Police Department emblem furnished by manufacturer, to be stitched on left sleeve with top edge of emblem 1" from top of sleeve centered with shoulder strap. American flag furnished by manufacturer to be stitched on right sleeve with top edge of flag 1" from top of sleeve centered with shoulder strap. Emblem to be neatly secured to prevent edges of emblem from raveling.

LABELING: Each shirt shall bear a label on which is specified the care and maintenance instructions. Warranty information will also be provided by the vendor or the manufacturer.

END: TPD-0003

**SPECIFICATION NO.
TPD-0004
SUMMER SHIRT**

DESCRIPTION:

Same as winter shirt in style and material except: short sleeve with lengths of measure nine inches (9") from shoulder seam down to hem. To have convertible collar.

END: TPD-0004

**SPECIFICATION NO.
TPD-0005
CAP COVER**

STYLE: Bayly, Inc. #9730A1/9809 Air Force Style, or approved equal.

MATERIAL: Pink-Tan Elastique, 645-437, kiss bonded with foam and tricot lining.

COLOR: Taupe

CAP COVERING: Will include top, 3-piece projection, side band, tip lining (black acetate), sweatshield (.008 gauge clear vinyl) and a pocket for individual name card. Seams will be lockstitched, 10 to 12 stitches to the inch. Cover will be ½ removable style and removable black winter braid band.

EYELETS: Each cap provided with two front badge eyelets 1-1/2" apart on center and (2) ventilating eyelets on each side.

END: TPD-0005

**SPECIFICATION NO.
TPD-0006
CAP FRAME**

- STYLE:** Bayly, Inc. #9830A1/9809 Air Force Style, or approved equal.
- MEASUREMENTS:** Size 7-1/8" - 7-1/4". Crown from front to rear 10-3/4"; from side to side 10-1/4"; the front height 2-1/2" and the sides 1-3/4". Measurements of other sizes to be in proportion.
- FRAME:** The construction shall be a one-piece molded visor, front band and stayer VISOR FRONT, of solid black. Emblem slots and assembly holes to be preformed, the inner STAYER, BAND band 2-1/8" extruded "poly" perforated with 3/8" holes throughout, with pre punched button holes and attached with brass rivets. Visor will be 9830 shape and frame will be removable cover style.
- GROMMET:** Will be a soft grommet of extruded plastic tubing cut to exact size to fit properly within the cap cover.
- SWEATBAND:** 27 oz. anti-migratory non-toxic cloth-backed vinyl, sewn on the outside of inner band and turned for cushioned effect to provide maximum comfort. Top edge to be finished and size label attached. Each cap to effectively cover (2) head sizes. In 6 sizes: XS, S, M, L, XL, and XXL.
- FRONT STRAP
& BUTTONS:** 1/2" Gold Floral Mesh Strap and gold "P" buttons.

END: TPD-0006

**SPECIFICATION NO.
TPD-0007
PANT BELT**

DESCRIPTION:

1-3/4" Reversible Velcro underbelt.

MATERIAL:

Black top grain cowhide covered on flesh side of leather with Velcro woven nylon loop, 1-1/2" wide. Part #150-001-330-0104-AB. To cover the entire length of the belt. Black side of leather to be covered from 8" from tip with 1-1/2" Velcro Hook. Part #150-080-300-0104-AB. *Safariland Ltd., Inc.* Model #99, only. Cut to size.

**THREAD AND
STITCHING:**

All edges with 5 cord left twist black linen thread.

END: TPD-0007

SPECIFICATION NO.

TPD-0008 NECKTIE

STYLE: Samuel Broome 455 or equal as approved by the Chief of Police, to match cap top and trousers; clip-on style.

MATERIAL: Army Pink - taupe #4, 8 - 8-1/2 oz., 55% Dacron, 45% Wool

MEASUREMENTS: 3-1/2" wide, regular V-end style. Bend-over in 15", 17", and 19" length available.

END: TPD-0008

SPECIFICATION NO. TPD-0009 A,B,C,D RAIN CLOTHING

RAINCOAT: Reversible, with one side fluorescent yellow with Police on back, and the other side black. (TPD-0009 A) Individual zipper closure and rust-proof snap fasteners on storm-fly.

Ventilating eyelets under arms, slash pockets, full length with badge holder on each side of coat, stand up collar with button. *Blauer #26990* or approved replacement.

RAIN JACKET: *Blauer #26991.*
(TPD-009B)

RAIN JACKET: *Blauer #9691.*
(TPD-009C)

RAIN PANTS: *Blauer #9134.*
(TPD-0009D)

END: TPD-0009 A,B,C,D

**SPECIFICATION NO.
TPD-0010
RAIN CAP COVERS**

DESCRIPTION:

Plastic covers, cap top cover style or cap and bill cover style; elastic band to fit all uniform caps.

END: TPD-0010

**SPECIFICATION NO.
TPD-0011
COVERALL**

MATERIAL: Forest green, permanent press sateen, 50% Dacron and Polyester, 50% Rayon.

STYLE: Two zippered chest pockets, two hip pockets (one zippered), two pants pockets, 2-way zipped front closure with fly front and concealed snap, pencil pocket on left sleeve, snap fasteners on sleeves and legs, elastic inserts at waist, bi-swing back.

INSCRIPTION: Two inch (2") gold letters on the back, as follows:

TULSA POLICE	-	Arched
DEPT.	-	Horizontal
The officer's last name only	-	Horizontal

EMBLEM: Regulation Tulsa Police Department emblem furnished by manufacturer, to be stitched on left sleeve with top edge of emblem 1 " from top of sleeve centered with shoulder seam. American flag furnished by manufacturer to be stitched on right sleeve with top edge of flag 1 " from top of sleeve centered with shoulder seam. Emblem to be neatly secured to prevent edges of emblem from raveling.

END: TPD-0011

**SPECIFICATION NO.
TPD-0012
BALL CAP**

DESCRIPTION: Black mesh baseball cap with double-knit front panel, visor, button and TPD cloth badge on front. Plastic adjustable strap back.

STYLE: *Stevens Cap Co. #262, or equal as approved by the Chief of Police.*

CLOTH BADGE: Large seven point cloth replica of TPD breast badge; gold with black lettering on a white background, and with a gold center.

END: TPD-0012

SPECIFICATION NO.

TPD-0013 COLLAR INSIGNIAS

DESCRIPTION:

Solid brass, clutch back, 9/16" tall, block letters, with periods, with double bars, to read, T.P. Clutch pins to be horizontal in line with letters.

END: TPD-0013

SPECIFICATION NO.

TPD-0014

METAL NAME PLATE

DESCRIPTION: No more than 2-1/2" or less than 2-1/4" long and no more than 1/2" or less than 3/8" wide; black lettering on solid brass name bar, clutch type fasteners.

LETTERING: Letters will consist of only the following:

OFFICERS: Initials of first and middle name followed by the officer's last name.

SUPERVISORS: Rank designation, initials of first and middle name followed by the supervisor's last name.

Rank designators will consist of the following:

Cpl.	for Corporal
Sgt.	for Sergeant
Capt.	for Captain
Maj.	for Major

END: TPD-0014

**SPECIFICATION NO.
TPD-0015
RIDING BREECHES**

- MATERIAL:** *Raeford 530-437, or equal, 14-1/2 - 15 oz., 55% Dacron, 45% wool gabardine.*
- COLOR:** *Army Pink with side stripe of Hamburger Woolen Co., #440, 14 oz. wool gabardine, or equal, 1" side.*
- STYLE:** *Breeches to have small ped - not more than 1-1/2" two-ply construction, 1/4 top pockets, extremely deep cut, heavy drill lining, 2 hip pockets 5-1/2" wide, tack to tack, 7" deep with covered flaps with button-through buttons. Pockets to have reinforced stitching on sides, cloth corner pieces on hip, and side pockets for reinforcement, hip and side pockets lined with gabardine material to a depth of 1-3/4".*
- Snug-Tex waistband to prevent shirt slipping, trouser to close with Hook-Flex closure at top, heavy fly zipper (Talon or equal), French fly construction Seven (7) Keystone-style belt loops 2" deep; 1-1/2" wide at bottom to 2" wide at top. Knees of double thickness cloth. The double knee to be placed on inside. Zippers in legs not less than #5 *Talon* with automatic lock. All knees to be double stitched 1/4". Breeches to be tailored to the individual's measurements.*
- WORKMANSHIP:** *All sewing to be done with best grade thread, except as noted below, with not less than 12 stitches per inch. Seat seam to be sewn with *Rice Z-69* nylon 4 oz. thread or equal. Trousers to be clean, well-made, and pressed to show no raw edges on outside of garment and no defective stitching.*

END: TPD-0015

**SPECIFICATION NO.
TPD-0016
RIDING BOOTS**

STYLE:

Dehner Patrol Boot or equivalent style

DESCRIPTION:

17" Black Leather Motor Patrol boot, leather shoe, leather or equivalent material stack, oil-resistant rubber soles and heels, laced frontclosure, laced or one $\frac{1}{2}$ " x $\frac{3}{4}$ " silver buckle on side closure, black laces, no decorative buckle on shoe area.

END: TPD-0016

**SPECIFICATION NO.
TPD-0017
FLAG PATCH**

DESCRIPTION:

American flag, approximately 3-1/2" long x 2-1/4" wide. Capable of being washed and dry-cleaned.

END: TPD-0017

SPECIFICATION NO.

TPD-0018
WHISTLE with chain

DESCRIPTION:

Police *Acme* Thunderer Whistle, as approved by the Chief of Police, with chain; gold color.

END: TPD-0018

**SPECIFICATION NO.
TPD-0019
TICKET BOOK HOLDER**

DESCRIPTION:

Plastic coated .040 gauge aluminum sheet, having a hinged writing plate, hinged with piano-type hinges, and having a capacity to accommodate a ticket book 4-1/2" wide x 9-3/8" long.

END: TPD-0019

**SPECIFICATION NO.
TPD-0020
POLICE HELMET**

MANUFACTURER: *Premier Crown Corporation Model #C3-700, only.*

COLOR: Bronze top, black trim, with eagle-topped shield decal replica.

DESCRIPTION: Three-layer fiberglass and epoxy shell, 1/2" non-resilient inner liner with a wraparound head harness extending from temple to temple covering the sides and back of the head. "D" rings are used as the fastening device for chin strap. Breakaway visor and protective rubber trim on bottom edge of shell, mylar trim band, snap-in wind buffeting tabs, and removable earmuffs. The decal shall be centered on the front of the helmet. Each helmet shall be equipped with a detachable clear plastic face shield. D.O.T. approved.

END: TPD-0020

**SPECIFICATION NO.
TPD-0021
DUTY GUN BELT**

- STYLE:** *Safariland Ltd., Inc. Model #94, only.*
- MATERIAL:** Outside material to be Clarino #8000-0000. Safari-laminate duty gun belt.
- WORKMANSHIP:** Stitching and thread is to be five-cord, nylon, black, left twist, lock stitch. Top and bottom stitching is to be 7 stitches per Inch, with 4 rows of straight stitching to the end of the belt.
- DESCRIPTION:** Belt is to be 2-1/4" wide. Closing device is to be Velcro. An additional concealed double-prong closing device shall be provided. Gun belt is to have a Velcro strip around the entire length of the inside of the belt to adhere to the Velcro pant belt TPD-0007.

END: TPD-0021

SPECIFICATION NO. TPD-0022 A,BC,D DUTY HOLSTERS

LEFT HOLSTER:
(TPD-0022A)

Description: Standard shank, Level 3 duty holster for pistol handguns. Designed for use on 2-1/4" Sam Browne duty gun belt (TPD-0021), for attachment to the LEFT side of the belt.

Style: *Safariland Ltd., SS111 for Glock 22C, Model #0738392, Left Hand, High Gloss Finish, only.*

RIGHT HOLSTER:
(TPD-00221B)

Description: Standard shank, Level 3 duty holster for pistol handguns. Designed for use on 2-1/4" Sam Browne duty gun belt (TPD-0021), for attachment to the RIGHT side of the belt.

Style: *Safariland Ltd., SS111 for Glock 22C, Model #0708391, Right Hand, High Gloss Finish, only.*

**DROP SHANK
LEFT HOLSTER:**
(TPD-0022D)

Description: Drop shank of 1.5 inches, Level 3 duty holster for pistol handguns. Designed for use on 2-1/4" Sam Browne duty gun belt (TPD-0021), for attachment to the LEFT side of the belt.

Style: *Safariland Ltd., Inc. SS111 for Glock 22C, Model #07058392, Left Hand, High Gloss Finish, only.*

**DROP SHANK
RIGHT HOLSTER:**
(TPD-0022D)

Description: Drop shank of 1.5 inches, Level 3 duty holster for pistol handguns. Designed for use on 2-1/4" Sam Browne duty gun belt (TPD-0021), for attachment to the RIGHT side of the belt.

Style: *Safariland Ltd., Inc SS111 for Glock 22C, Model #07058391, Right Hand, High Gloss Finish, only.*

END: TPD-0022

**SPECIFICATION NO.
TPD-0023
HANDCUFF CASE**

STYLE: Safariland Ltd., Inc. Model 190-9HS, High Gloss only.

MATERIAL: Clarino (synthetic material) #8000-0000 shiny finish lined with russet Safari--laminate. The Clarino outside (top) and the lining shall be totally adhered with an adhesive compound (not a tacking glue) for permanent bonding. In addition to the adhesive bonding, the Clarino and lining shall be thread-stitched as specified. Edges will also be stained with a finish to match handcuff case. Finished thickness to be as follows: (a) back layer and flap to be one piece 8-1/2 - 9 oz., (b) insert 5 - 5-1/2 oz., (c) front cover 8-1/2 - 9 oz.

WORKMANSHIP: Five cord black linen lockstitch, left twist, stitching to be 7 stitches per inch. All outer edges to be stitched 1/8" from edges.

FASTENER: Hidden snap.

CONSTRUCTION: Equip with vertical belt slots on gun belt that measures 2-1/4" in width. Case to accommodate one pair of Peerless or Smith *and* Wesson hinged handcuffs (specific size to be determined at time of contract). Edges of pocket and flap to be hand edged, rubbed and finished in black stain. Thread to be tied two ends at top of pocket.

END: TPD-0023

SPECIFICATION NO.

TPD-0024 MAGAZINE POUCH

MATERIAL:

Safari-laminate with scuff-resistant finish. *Safariland Ltd., Inc. For Glock 22C Model 7783-9HS only*

CONSTRUCTION:

Equip with vertical and horizontal belt slots, allowing it to ride in either a vertical or low-profile horizontal position. Locate a magazine tension screw between the two pouches allowing for retention adjustment. The closure shall be of the hidden snap type. Sized to carry two Glock 22C magazines with a 15 -round capacity. Designed to fit a *Safariland Ltd., Inc. Buckleless Belt Model #94, TPD-0021.*

END: TPD-0024

SPECIFICATION NO.

TPD-0025A,B

EXPANDABLE BATON AND LEATHER SCABBARD

EXPANDABLE BATON: Style: ASP Expandable Baton.
(TPD-0025A)

Measurements: Shall be 16", 21" or 26" extended length.

Materials: Mill forged 4140 Steel construction, or Duralium Aerospace Alloys. Black chrome shaft with grips of black foamed vinyl.

LEATHER SCABBARD: Style: *Safariland Ltd., Inc. Model #35-F21-9, only* .

Construction: Premium shoulder leather and corner stitched with open top. Able to be attached to a 2-1/4 inch wide *Safariland Ltd., Inc. Model 94* gun belt. With hidden snap. Black in color. Length shall conform to the length of the selected Baton, High Gloss.

END: TPD-0025

**SPECIFICATION NO.
TPD-0026
WINTER CAP**

MATERIAL The hat shall be forest green vinyl lined with quilted nylon. The flaps shall be black mouton fur.

COLOR: Forest green hat, lining and flaps.

STYLE: Regular Fur Trooper Hat with fur flaps in various sizes. Two eyelets (1-1/2" apart horizontally) on front of hat to hold badge.

END: TPD-0026

**SPECIFICATION NO.
TPD-0027
CHEVRONS**

COLOR: Gold chevrons on black background.

DESCRIPTION: CORPORAL - Double Stripe
SERGEANT - Triple Stripe

Chevrons furnished and sewn on at additional cost. Chevrons shall be wash and wear and capable of being dry cleaned.

END: TPD-0027

**SPECIFICATION NO.
TPD-0028 A,BC
FLASHLIGHTS (BELT HOLSTER AND 3-CELL)
and HOLSTER**

FLASHLIGHT

BELT-HOLSTER TYPE: Lightweight polymer non-slip, non-absorbent, closed cell foam comfort grip. Unbreakable Lexon lens.
(TPD-0028A)

OR

Stinger, only. Machine aluminum anodized against corrosion, inside and out. Unbreakable Lexon lens.

Description: Flashlight shall be black in color, 7-3/8" long. It shall have AC and DC recharging capability with one hour of continuous use between charges, nickel cadmium rechargeable battery. Weight of 10 oz or less. Lamp shall be hard glass Halogen with 15,000 candle power with variable spot to flood beam.

FLASHLIGHT

3-CELL TYPE: #SL20XP only. Lightweight polymer with non-slip, non-absorbent, dosed cell (TPD-0028B) foam (TPD-0028B) comfort grip. Unbreakable . Lexon lens.
(TPD-0028B)

OR

Streamlight, Model #SL20X, only. Machine aluminum anodized against corrosion, inside and out. Unbreakable Lexon lens.

Description: Flashlight shall be black in color no larger than 3-cell (or 13"). It shall have AC and DC recharging capability with 1.5 hours of continuous use between charges; nickel cadmium, 6-volt battery, 1.8 - 2.4 amp hour 1/2D, rechargeable up to 1,000 times. Weight to be no greater than two (2) pounds. Lamp shall be 8-10 watt, with 25,000 or greater prefocused candle power, hard glass Halogen in spun reflector with spare bulb; variable spot to flood beam.

FLASHLIGHT

HOLSTER: Manufacturer: *Safariland Ltd., Inc.* Model #306-1-9 (to fit TPD-0028A).
(TPD-0028C)

Description: Open top, snap-type, to fit 2-1/4" wide gun belt (TPD-0021) black, high gloss.

END: TPD-0028

**SPECIFICATION NO.
TPD-0029
BELT KEEPERS**

DESCRIPTION:

High gloss, black with hidden snap; 1 " wide. Designed for use on a *Safariland Ltd., Inc., Model #94, 2-1/4" duty gun belt (TPD-0021).*

END: TPD-0029

**SPECIFICATION NO.
TPD-0030
SINGLE RING HOLDER**

DESCRIPTION:

Single ring holder – Black in color, for flashlight, black snap closure, leather high gloss. Designed to hold standard flashlight 3 cell, TPD-0028B.

Model 730-9-BL

END: TPD-0030

**SPECIFICATION NO.
TPD-0031
CLOTH NAMETAG**

DESCRIPTION:

Cloth nametag shall have gold letters on a black background.

END: TPD-0031

**SPECIFICATION NO.
TPD-0032
TPD STAR PATCH**

DESCRIPTION: Cloth badge, fold with black lettering on a round black background.

END: TPD-0032

**SPECIFICATION NO.
TPD-0033
TPD SHOULD PATCH**

DESCRIPTION: Regulation Tulsa Police Department emblem.

END: TPD-0033